

# Targeted Drug Achieves 43% Response Rate in KRAS-Mutated Lung Cancer

Experimental KRAS inhibitor adagrasib also shows activity against lung cancer that has spread to the brain.

June 4, 2022 By Dana-Farber Cancer Institute

---

Nearly 43% of patients with non-small cell lung cancer (NSCLC) whose lung cancers harbored a specific KRAS mutation responded to the experimental drug adagrasib, and the targeted agent also showed activity against lesions in the brain that metastasized from the lung tumors, according to results of a study led by [Dana-Farber Cancer Institute](#) investigators.

Mutations in the potent oncogene known as KRAS occur in about one in four patients with NSCLC, and approximately 13% of NSCLC patients' tumors are driven by a specific KRAS mutation called G12C. KRAS mutations have long been considered nearly impossible to attack with targeted drugs after many years of research attempts. However, in 2021 a targeted drug, sotorasib [Lumakras], became the first drug approved by the Food and Drug Administration for NSCLC patients whose tumors harbored the G12C mutation, based on a clinical trial showing a 36% response rate in those patients after having initially received treatment with chemotherapy and a PD-1 immune checkpoint inhibitor.

Reporting the results of a new Phase II trial presented at the 2022 Annual Meeting of the American Society of Clinical Oncology (ASCO) and simultaneously published in the [New England Journal of Medicine](#), investigators led by [Pasi Jänne, MD, PhD](#), director of the Lowe Center for Thoracic Oncology at Dana-Farber, showed that treatment with a different KRAS-G12C mutant inhibitor, adagrasib, yielded a 42.9% objective response rate and a median overall survival rate of 12.6 months in a cohort of 112 patients who had previously received both chemotherapy and immunotherapy with a PD-1 immune checkpoint blocker. Notably, adagrasib treatment also achieved a 33.3% response rate in 33 patients who had stable metastatic lesions in the brain and central nervous system that had spread from the lung tumors.

“These data highlight that inhibiting KRAS-G12C can lead to clinically meaningful benefits to NSCLC patients with this form of lung cancer,” said Jänne. “Brain metastases are challenging to treat and having a pharmacologic agent that shows activity in this setting is an advancement and movement in the right direction.”

Patients with KRAS-G12C have had few options after initial chemotherapy and immunotherapy

stopped working. In the new clinical trial of adagrasib, median progression-free survival (the time patients lived before the cancer began to worsen again) was 6.5 months and the median response duration was 8.5 months. The oral drug was taken twice a day.

Because the KRAS-G12C tumor cells typically continue to proliferate, researchers believe sustained inhibition with drugs may be necessary. Consequently, adagrasib was optimized for favorable properties including a long half-life (23 hours) and ability to penetrate the central nervous system. Clinical activity with adagrasib has been shown in patients with other KRAS-G12C tumors, including colorectal, pancreatic, biliary tract, and other cancers.

This clinical trial was sponsored by Mirati Therapeutics, Inc.

[ASCO 2022 abstract 9002](#): KRYSTAL-1: Activity and safety of adagrasib (MRTX849) in patients with advanced/metastatic non-small cell lung cancer (NSCLC) harboring a KRAS-G12C mutation.

This [news release](#) was published by Dana-Farber Cancer Institute on June 3, 2022.

Click here to learn more about [KRAS mutations and targeted therapy](#).

---

© 2026 Smart + Strong All Rights Reserved.

<http://beta.docker.cancerhealth.com/article/targeted-drug-achieves-43-response-rate-krasmutated-lung-cancer>