

Slow-Transit Constipation Is Linked To Increased Risk Of Colorectal Cancer

Two or fewer bowel movements a week, or straining at stool more than 25% of the time, is linked with increased colorectal cancer risk.

January 10, 2022 By [Colon Cancer Foundation](#)

Slow-transit constipation (STC) is [reported](#) to occur in 15% to 30% of people in the U.S. The most widely accepted [definition](#) of STC is two or fewer bowel movements per week or straining at stool more than 25% of the time. Research continues to point to STC as a risk factor for colorectal cancer (CRC).

A [study published in](#) 2020 that looked at 2,165 patients (median age 54 years), found that the cumulative probability of CRC was 0.2% five years after STC diagnosis and 0.4% 10 years after STC diagnosis. This was not significantly different ($p=0.575$) than among those without STC diagnosis. However, this may be due to the small number of patients (5) who were diagnosed with CRC. Although the authors of the 2020 study did not find a significant difference among those with and without STC diagnosis, it is well established that STC increases CRC risk. Gurérin et al. in their [2014 study](#) of over 100,000 patients identified a statistically significant risk of CRC among those with STC:

- 56% higher for CRC
- 260% higher for benign neoplasm
- 256% higher for benign neoplasm in colon
- 262% higher for anal and rectal polyps

Current management options for STC range from dietary counseling, pharmacological therapy, and surgery.

While the etiology of STC remains unclear, there is increasing evidence that it is caused by an imbalance in the gut microbiome. Shengsheng Zhang et al. in their [2021 review published in *Gastroenterology Report*](#) found that gut microbiota may play a major role in modulating colonic motility, secretion, and absorption. However, there is still much research needed to understand how the gut microbiome modulates movement of fecal matter through the small intestine and colon.

Conversations about the [role of the gut microbiome in CRC development](#) were a part of the Early-Age Onset Colorectal Cancer Summit held by the Colon Cancer Foundation in May 2022. —Gargi

Patel

Gargi Patel is a Colon Cancer Prevention Intern with the [Colon Cancer Foundation](#).

[This article was originally published by the Colon Cancer Foundation](#) on January 5, 2021. It is republished by permission.

© 2026 Smart + Strong All Rights Reserved.

<http://beta.docker.cancerhealth.com/blog/increased-risk-colorectal-cancer-patients-slow-transit-constipation>